



99 Ling Road - Rochester NY 14612
800 733-9473 877 275-0400 Fax
www.whirlwindusa.com sales@whirlwindusa.com

96 Point TT (Bantam) PATCH 1 The Living Arts College Studio Campus - B2R Cntrl A

		CABLE TYPE	FAN LENGTH (feet)	TOTAL LENGTH (feet)	NORMALLING F = FULL H = HALF N = NONE		TOTAL LENGTH (feet)	FAN LENGTH (feet)	CABLE TYPE	CONNECTOR	LABEL
LABEL	CONNECTOR				49	1					
Pre In 1	XLR-M	8451	3	6	H/SS	1	6	3	8451	XLR- F	STUDIO MIC 1
Pre In 2	XLR-M	8451	3	6	H/SS	2	6	3	8451	XLR- F	STUDIO MIC 2
Pre In 3	XLR-M	8451	3	6	H/SS	3	6	3	8451	XLR- F	STUDIO MIC 3
Pre In 4	XLR-M	8451	3	6	H/SS	4	6	3	8451	XLR- F	STUDIO MIC 4
Pre In 5	XLR-M	8451	3	6	H/SS	5	6	3	8451	XLR- F	STUDIO MIC 5
Pre In 6	XLR-M	8451	3	6	H/SS	6	6	3	8451	XLR- F	STUDIO MIC 6
Pre In 7	XLR-M	8451	3	6	H/SS	7	6	3	8451	XLR- F	STUDIO MIC 7
Pre In 8	XLR-M	8451	3	6	H/SS	8	6	3	8451	XLR- F	STUDIO MIC 8
Pre In 9	XLR-M	8451	3	6	H/SS	9	6	3	8451	XLR- F	STUDIO MIC 9
Pre In 10	XLR-M	8451	3	6	H/SS	10	6	3	8451	XLR- F	STUDIO MIC 10
Pre In 11	XLR-M	8451	3	6	H/SS	11	6	3	8451	XLR- F	STUDIO MIC 11
Pre In 12	XLR-M	8451	3	6	H/SS	12	6	3	8451	XLR- F	STUDIO MIC 12
Pre IN 13	XLR-M	8451	3	6	H/SS	13	6	3	8451	XLR- F	STUDIO MIC 13
Pre In 14	XLR-M	8451	3	6	H/SS	14	6	3	8451	XLR- F	STUDIO MIC 14
Pre In 15	XLR-M	8451	3	6	H/SS	15	6	3	8451	XLR- F	STUDIO MIC 15
Pre In 16	XLR-M	8451	3	6	H/SS	16	6	3	8451	XLR- F	STUDIO MIC 16
Pre In 17	XLR-M	8451	3	6	H/SS	17	6	3	8451	XLR- F	ISO A MIC 1
Pre In 18	XLR-M	8451	3	6	H/SS	18	6	3	8451	XLR- F	ISO A MIC 2
Pre In 19	XLR-M	8451	3	6	H/SS	19	6	3	8451	XLR- F	ISO A MIC 3
Pre In 20	XLR-M	8451	3	6	H/SS	20	6	3	8451	XLR- F	ISO A MIC 4
Pre In 21	XLR-M	8451	3	6	H/SS	21	6	3	8451	XLR- F	ISO B MIC 1
Pre In 22	XLR-M	8451	3	6	H/SS	22	6	3	8451	XLR- F	ISO B MIC 2
Pre In 23	XLR-M	8451	3	6	H/SS	23	6	3	8451	XLR- F	ISO B MIC 3
Pre In 24	XLR-M	8451	3	6	H/SS	24	6	3	8451	XLR- F	ISO B MIC 4
Pre In 25	XLR-M	8451	3	6	H/SS	25	6	3	8451	XLR- F	ISO B MIC 5
Pre In 26	XLR-M	8451	3	6	H/SS	26	6	3	8451	XLR- F	ISO B MIC 6
Pre In 27	XLR-M	8451	3	6	H/SS	27	6	3	8451	XLR- F	ISO B MIC 7
Pre In 28	XLR-M	8451	3	6	H/SS	28	6	3	8451	XLR- F	ISO B MIC 8
Pre In 29	XLR-M	8451	3	6	H/SS	29	6	3	8451	XLR- F	ISO C MIC 1
Pre In 30	XLR-M	8451	3	6	H/SS	30	6	3	8451	XLR- F	ISO C MIC 2
Pre In 31	XLR-M	8451	3	6	H/SS	31	6	3	8451	XLR- F	ISO C MIC 3
Pre In 32	XLR-M	8451	3	6	H/SS	32	6	3	8451	XLR- F	ISO C MIC 4
Line In 1	TRS	8451	3	6	F	33	6	3	8451	combo chassis	CR I/O 1
Line In 2	TRS	8451	3	6	F	34	6	3	8451	combo chassis	CR I/O 2
Line In 3	TRS	8451	3	6	F	35	6	3	8451	combo chassis	CR I/O 3
Line In 4	TRS	8451	3	6	F	36	6	3	8451	combo chassis	CR I/O 4
Line In 5	TRS	8451	3	6	F	37	6	3	8451	combo chassis	CR I/O 5
Line In 6	TRS	8451	3	6	F	38	6	3	8451	combo chassis	CR I/O 6
Line In 7	TRS	8451	3	6	F	39	6	3	8451	combo chassis	CR I/O 7
Line In 8	TRS	8451	3	6	F	40	6	3	8451	combo chassis	CR I/O 8
Line In 9	TRS	8451	3	6	F	41	6	3	8451	RCA	DVD LEFT
Line In 10	TRS	8451	3	6	F	42	6	3	8451	RCA	DVD RIGHT
Line in 11	TRS	8451	3	6	F	43	6	3	8451	RCA	CENTER
Line In 12	TRS	8451	3	6	F	44	6	3	8451	RCA	SURR L
Line In 13	TRS	8451	3	6	F	45	6	3	8451	RCA	SURR R
Line In 14	TRS	8451	3	6	F	46	6	3	8451	RCA	LFE
Line In 15	TRS	8451	3	6	F	47	6	3	8451	RCA	STEREO L
Line in 16	TRS	8451	3	6	F	48	6	3	8451	RCA	STEREO R

33-40 terminated to 8 combo xlr-trs-f chassis mount 2 space rack plate

All shields connected at jack only unless specified otherwise.



99 Ling Road - Rochester NY 14612
800 733-9473 877 275-0400 Fax
www.whirlwindusa.com sales@whirlwindusa.com

96 Point TT (Bantam) PATCH 2

The Living Arts College Studio Campus - B2R Cntrl A

LABEL	CONNECTOR	CABLE TYPE	FAN LENGTH (feet)	TOTAL LENGTH (feet)	NORMALLING F = FULL H = HALF N = NONE		TOTAL LENGTH (feet)	FAN LENGTH (feet)	CABLE TYPE	CONNECTOR	LABEL
					49	1					
I/O IN 1	TRS	8451	3	6	F	1	6	3	8451	DB25A-M	Pre Out 1
I/O IN 2	TRS	8451	3	6	F	2	6	3	8451	DB25A-M	Pre Out 2
I/O IN 3	TRS	8451	3	6	F	3	6	3	8451	DB25A-M	Pre Out 3
I/O IN 4	TRS	8451	3	6	F	4	6	3	8451	DB25A-M	Pre Out 4
I/O IN 5	TRS	8451	3	6	F	5	6	3	8451	DB25A-M	Pre Out 5
I/O IN 6	TRS	8451	3	6	F	6	6	3	8451	DB25A-M	Pre Out 6
I/O IN 7	TRS	8451	3	6	F	7	6	3	8451	DB25A-M	Pre Out 7
I/O IN 8	TRS	8451	3	6	F	8	6	3	8451	DB25A-M	Pre Out 8
I/O IN 9	TRS	8451	3	6	F	9	6	3	8451	DB25B-M	Pre Out 9
I/O IN 10	TRS	8451	3	6	F	10	6	3	8451	DB25B-M	Pre Out 10
I/O IN 11	TRS	8451	3	6	F	11	6	3	8451	DB25B-M	Pre Out 11
I/O IN 12	TRS	8451	3	6	F	12	6	3	8451	DB25B-M	Pre Out 12
I/O IN 13	TRS	8451	3	6	F	13	6	3	8451	DB25B-M	Pre Out 13
I/O IN 14	TRS	8451	3	6	F	14	6	3	8451	DB25B-M	Pre Out 14
I/O IN 15	TRS	8451	3	6	F	15	6	3	8451	DB25B-M	Pre Out 15
I/O IN 16	TRS	8451	3	6	F	16	6	3	8451	DB25B-M	Pre Out 16
I/O IN 17	DB25F-M	8451	3	6	F	17	6	3	8451	DB25C-M	Pre Out 17
I/O IN 18	DB25F-M	8451	3	6	F	18	6	3	8451	DB25C-M	Pre Out 18
I/O IN 19	DB25F-M	8451	3	6	F	19	6	3	8451	DB25C-M	Pre Out 19
I/O IN 20	DB25F-M	8451	3	6	F	20	6	3	8451	DB25C-M	Pre Out 20
I/O IN 21	DB25F-M	8451	3	6	F	21	6	3	8451	DB25C-M	Pre Out 21
I/O IN 22	DB25F-M	8451	3	6	F	22	6	3	8451	DB25C-M	Pre Out 22
I/O IN 23	DB25F-M	8451	3	6	F	23	6	3	8451	DB25C-M	Pre Out 23
I/O IN 24	DB25F-M	8451	3	6	F	24	6	3	8451	DB25C-M	Pre Out 24
I/O IN 25	DB25G-M	8451	3	6	F	25	6	3	8451	DB25D-M	Pre Out 25
I/O IN 26	DB25G-M	8451	3	6	F	26	6	3	8451	DB25D-M	Pre Out 26
I/O IN 27	DB25G-M	8451	3	6	F	27	6	3	8451	DB25D-M	Pre Out 27
I/O IN 28	DB25G-M	8451	3	6	F	28	6	3	8451	DB25D-M	Pre Out 28
I/O IN 29	DB25G-M	8451	3	6	F	29	6	3	8451	DB25D-M	Pre Out 29
I/O IN 30	DB25G-M	8451	3	6	F	30	6	3	8451	DB25D-M	Pre Out 30
I/O IN 31	DB25G-M	8451	3	6	F	31	6	3	8451	DB25D-M	Pre Out 31
I/O IN 32	DB25G-M	8451	3	6	F	32	6	3	8451	DB25D-M	Pre Out 32
Pro Control IN 1	DB25E-M	8451	3	16	F	33	6	3	8451	TRS	I/O OUT 1
Pro Control IN 2	DB25E-M	8451	3	16	F	34	6	3	8451	TRS	I/O OUT 2
Pro Control IN 3	DB25E-M	8451	3	16	F	35	6	3	8451	TRS	I/O OUT 3
Pro Control IN 4	DB25E-M	8451	3	16	F	36	6	3	8451	TRS	I/O OUT 4
Pro Control IN 5	DB25E-M	8451	3	16	F	37	6	3	8451	TRS	I/O OUT 5
Pro Control IN 6	DB25E-M	8451	3	16	F	38	6	3	8451	TRS	I/O OUT 6
Pro Control IN 7	DB25E-M	8451	3	16	F	39	6	3	8451	TRS	I/O OUT 7
Pro Control IN 8	DB25E-M	8451	3	16	F	40	6	3	8451	TRS	I/O OUT 8
HP IN L	TRS	8451	TRS	10	F	41	6	3	8451	TRS	I/O OUT 9
HP IN R	TRS	8451	TRS	10	F	42	6	3	8451	TRS	I/O OUT 10
HP IN 1	TRS	8451	TRS	10	F	43	6	3	8451	TRS	I/O OUT 11
HP IN 2	TRS	8451	TRS	10	F	44	6	3	8451	TRS	I/O OUT 12
HP IN 3	TRS	8451	TRS	10	F	45	6	3	8451	TRS	I/O OUT 13
HP IN 4	TRS	8451	TRS	10	F	46	6	3	8451	TRS	I/O OUT 14
HP IN 5	TRS	8451	TRS	10	F	47	6	3	8451	TRS	I/O OUT 15
HP IN 6	TRS	8451	TRS	10	F	48	6	3	8451	TRS	I/O OUT 16

All shields connected at jack only unless specified otherwise.



99 Ling Road - Rochester NY 14612
800 733-9473 877 275-0400 Fax
www.whirlwindusa.com sales@whirlwindusa.com

96 Point TT (Bantam) PATCH 1

The School of Communication Arts - B2R Cntrl B - TOFT ATB24

LABEL	CONNECTOR	CABLE TYPE	FAN LENGTH (feet)	TOTAL LENGTH (feet)	NORMALLING F = FULL H = HALF N = NONE		TOTAL LENGTH (feet)	FAN LENGTH (feet)	CABLE TYPE	CONNECTOR	LABEL
					49	1					
MIC INPUT 1	XLR-M	8451	6	16	H/SS	2	6	3	8451	XLR- F	STUDIO MIC 1
MIC INPUT 2	XLR-M	8451	6	16	H/SS	3	6	3	8451	XLR- F	STUDIO MIC 2
MIC INPUT 3	XLR-M	8451	6	16	H/SS	4	6	3	8451	XLR- F	STUDIO MIC 3
MIC INPUT 4	XLR-M	8451	6	16	H/SS	5	6	3	8451	XLR- F	STUDIO MIC 4
MIC INPUT 5	XLR-M	8451	6	16	H/SS	6	6	3	8451	XLR- F	STUDIO MIC 5
MIC INPUT 6	XLR-M	8451	6	16	H/SS	7	6	3	8451	XLR- F	STUDIO MIC 6
MIC INPUT 7	XLR-M	8451	6	16	H/SS	8	6	3	8451	XLR- F	STUDIO MIC 7
MIC INPUT 8	XLR-M	8451	6	16	H/SS	9	6	3	8451	XLR- F	STUDIO MIC 8
MIC INPUT 9	XLR-M	8451	6	16	H/SS	10	6	3	8451	XLR- F	STUDIO MIC 9
MIC INPUT 10	XLR-M	8451	6	16	H/SS	11	6	3	8451	XLR- F	STUDIO MIC 10
MIC INPUT 11	XLR-M	8451	6	16	H/SS	12	6	3	8451	XLR- F	STUDIO MIC 11
MIC INPUT 12	XLR-M	8451	6	16	H/SS	13	6	3	8451	XLR- F	STUDIO MIC 12
MIC INPUT 13	XLR-M	8451	6	16	H/SS	14	6	3	8451	XLR- F	STUDIO MIC 13
MIC INPUT 14	XLR-M	8451	6	16	H/SS	15	6	3	8451	XLR- F	STUDIO MIC 14
MIC INPUT 15	XLR-M	8451	6	16	H/SS	16	6	3	8451	XLR- F	STUDIO MIC 15
MIC INPUT 16	XLR-M	8451	6	16	H/SS	17	6	3	8451	XLR- F	STUDIO MIC 16
MIC INPUT 17	XLR-M	8451	6	16	H/SS	18	6	3	8451	XLR- F	ISO B MIC 1
MIC INPUT 18	XLR-M	8451	6	16	H/SS	19	6	3	8451	XLR- F	ISO B MIC 2
MIC INPUT 19	XLR-M	8451	6	16	H/SS	20	6	3	8451	XLR- F	ISO B MIC 3
MIC INPUT 20	XLR-M	8451	6	16	H/SS	21	6	3	8451	XLR- F	ISO B MIC 4
MIC INPUT 21	XLR-M	8451	6	16	H/SS	22	6	3	8451	XLR- F	ISO B MIC 5
MIC INPUT 22	XLR-M	8451	6	16	H/SS	23	6	3	8451	XLR- F	ISO B MIC 6
MIC INPUT 23	XLR-M	8451	6	16	H/SS	24	6	3	8451	XLR- F	ISO B MIC 7
MIC INPUT 24	XLR-M	8451	6	16	H/SS	25	6	3	8451	XLR- F	ISO B MIC 8
LINE IN 1	TRS	8451	6	16	N	26	6	3	8451	XLR- F	ISO A MIC 1
LINE IN 2	TRS	8451	6	16	N	27	6	3	8451	XLR- F	ISO A MIC 2
LINE IN 3	TRS	8451	6	16	N	28	6	3	8451	XLR- F	ISO A MIC 3
LINE IN 4	TRS	8451	6	16	N	29	6	3	8451	XLR- F	ISO A MIC 4
LINE IN 5	TRS	8451	6	16	N	30	6	3	8451	XLR- F	ISO C MIC 1
LINE IN 6	TRS	8451	6	16	N	31	6	3	8451	XLR- F	ISO C MIC 2
LINE IN 7	TRS	8451	6	16	N	32	6	3	8451	XLR- F	ISO C MIC 3
LINE IN 8	TRS	8451	6	16	N	33	6	3	8451	XLR- F	ISO C MIC 4
LINE IN 9	TRS	8451	6	16	N	34	6	3	8451	combo chassis	CR I/O 1
LINE IN 10	TRS	8451	6	16	N	35	6	3	8451	combo chassis	CR I/O 2
LINE IN 11	TRS	8451	6	16	N	36	6	3	8451	combo chassis	CR I/O 3
LINE IN 12	TRS	8451	6	16	N	37	6	3	8451	combo chassis	CR I/O 4
LINE IN 13	TRS	8451	6	16	N	38	6	3	8451	combo chassis	CR I/O 5
LINE IN 14	TRS	8451	6	16	N	39	6	3	8451	combo chassis	CR I/O 6
LINE IN 15	TRS	8451	6	16	N	40	6	3	8451	combo chassis	CR I/O 7
LINE IN 16	TRS	8451	6	16	N	41	6	3	8451	combo chassis	CR I/O 8
LINE IN 17	TRS	8451	6	16	N	42	6	3	8451	combo chassis	CR I/O 9
LINE IN 18	TRS	8451	6	16	N	43	6	3	8451	combo chassis	CR I/O 10
LINE IN 19	TRS	8451	6	16	N	44	6	3	8451	combo chassis	CR I/O 11
LINE IN 20	TRS	8451	6	16	N	45	6	3	8451	combo chassis	CR I/O 12
LINE IN 21	TRS	8451	6	16	N	46	6	3	8451	combo chassis	CR I/O 13
LINE IN 22	TRS	8451	6	16	N	47	6	3	8451	combo chassis	CR I/O 14
LINE IN 23	TRS	8451	6	16	N	48	6	3	8451	combo chassis	CR I/O 15
LINE IN 24	TRS	8451	6	16	N	49	6	3	8451	combo chassis	CR I/O 16

33-48 terminated to 16 combo xlr-trs-f chassis mount 2 space rack plate

All shields connected at jack only unless specified otherwise.



99 Ling Road - Rochester NY 14612
800 733-9473 877 275-0400 Fax
www.whirlwindusa.com sales@whirlwindusa.com

96 Point TT (Bantam) PATCH 2

The School of Communication Arts - B2R Cntrl B - TOFT ATB24

LABEL	CONNECTOR	CABLE TYPE	FAN LENGTH (feet)	TOTAL LENGTH (feet)	NORMALLING F = FULL H = HALF N = NONE		TOTAL LENGTH (feet)	FAN LENGTH (feet)	CABLE TYPE	CONNECTOR	LABEL
96 I/O IN 1	TRS	8451	3	6	49	F	1	16	6	8451	DIRECT OUT 1
96 I/O IN 2	TRS	8451	3	6	50	F	2	16	6	8451	DIRECT OUT 2
96 I/O IN 3	TRS	8451	3	6	51	F	3	16	6	8451	DIRECT OUT 3
96 I/O IN 4	TRS	8451	3	6	52	F	4	16	6	8451	DIRECT OUT 4
96 I/O IN 5	TRS	8451	3	6	53	F	5	16	6	8451	DIRECT OUT 5
96 I/O IN 6	TRS	8451	3	6	54	F	6	16	6	8451	DIRECT OUT 6
96 I/O IN 7	TRS	8451	3	6	55	F	7	16	6	8451	DIRECT OUT 7
96 I/O IN 8	TRS	8451	3	6	56	F	8	16	6	8451	DIRECT OUT 8
96 I/O IN 9	TRS	8451	3	6	57	F	9	16	6	8451	DIRECT OUT 9
96 I/O IN 10	TRS	8451	3	6	58	F	10	16	6	8451	DIRECT OUT 10
96 I/O IN 11	TRS	8451	3	6	59	F	11	16	6	8451	DIRECT OUT 11
96 I/O IN 12	TRS	8451	3	6	60	F	12	16	6	8451	DIRECT OUT 12
96 I/O IN 13	TRS	8451	3	6	61	F	13	16	6	8451	DIRECT OUT 13
96 I/O IN 14	TRS	8451	3	6	62	F	14	16	6	8451	DIRECT OUT 14
96 I/O IN 15	TRS	8451	3	6	63	F	15	16	6	8451	DIRECT OUT 15
96 I/O IN 16	TRS	8451	3	6	64	F	16	16	6	8451	DIRECT OUT 16
96 I/O IN 17	TRS	8451	3	6	65	F	17	16	6	8451	DIRECT OUT 17
96 I/O IN 18	TRS	8451	3	6	66	F	18	16	6	8451	DIRECT OUT 18
96 I/O IN 19	TRS	8451	3	6	67	F	19	16	6	8451	DIRECT OUT 19
96 I/O IN 20	TRS	8451	3	6	68	F	20	16	6	8451	DIRECT OUT 20
96 I/O IN 21	TRS	8451	3	6	69	F	21	16	6	8451	DIRECT OUT 21
96 I/O IN 22	TRS	8451	3	6	70	F	22	16	6	8451	DIRECT OUT 22
96 I/O IN 23	TRS	8451	3	6	71	F	23	16	6	8451	DIRECT OUT 23
96 I/O IN 24	TRS	8451	3	6	72	F	24	16	6	8451	DIRECT OUT 24
MON 1	TRS	8451	6	16	73	F	25	6	3	8451	96 I/O OUT 1
MON 2	TRS	8451	6	16	74	F	26	6	3	8451	96 I/O OUT 2
MON 3	TRS	8451	6	16	75	F	27	6	3	8451	96 I/O OUT 3
MON 4	TRS	8451	6	16	76	F	28	6	3	8451	96 I/O OUT 4
MON 5	TRS	8451	6	16	77	F	29	6	3	8451	96 I/O OUT 5
MON 6	TRS	8451	6	16	78	F	30	6	3	8451	96 I/O OUT 6
MON 7	TRS	8451	6	16	79	F	31	6	3	8451	96 I/O OUT 7
MON 8	TRS	8451	6	16	80	F	32	6	3	8451	96 I/O OUT 8
MON 9	TRS	8451	6	16	81	F	33	6	3	8451	96 I/O OUT 9
MON 10	TRS	8451	6	16	82	F	34	6	3	8451	96 I/O OUT 10
MON 11	TRS	8451	6	16	83	F	35	6	3	8451	96 I/O OUT 11
MON 12	TRS	8451	6	16	84	F	36	6	3	8451	96 I/O OUT 12
MON 13	TRS	8451	6	16	85	F	37	6	3	8451	96 I/O OUT 13
MON 14	TRS	8451	6	16	86	F	38	6	3	8451	96 I/O OUT 14
MON 15	TRS	8451	6	16	87	F	39	6	3	8451	96 I/O OUT 15
MON 16	TRS	8451	6	16	88	F	40	6	3	8451	96 I/O OUT 16
MON 17	TRS	8451	6	16	89	F	41	6	3	8451	96 I/O OUT 17
MON 18	TRS	8451	6	16	90	F	42	6	3	8451	96 I/O OUT 18
MON 19	TRS	8451	6	16	91	F	43	6	3	8451	96 I/O OUT 19
MON 20	TRS	8451	6	16	92	F	44	6	3	8451	96 I/O OUT 20
MON 21	TRS	8451	6	16	93	F	45	6	3	8451	96 I/O OUT 21
MON 22	TRS	8451	6	16	94	F	46	6	3	8451	96 I/O OUT 22
MON 23	TRS	8451	6	16	95	F	47	6	3	8451	96 I/O OUT 23
MON 24	TRS	8451	6	16	96	F	48	6	3	8451	96 I/O OUT 24

All shields connected at jack only unless specified otherwise.



99 Ling Road - Rochester NY 14612
800 733-9473 877 275-0400 Fax
www.whirlwindusa.com sales@whirlwindusa.com

96 Point TT (Bantam) PATCH 3

The School of Communication Arts - B2R Cntrl B - TOFT ATB24

		CABLE TYPE	FAN LENGTH (feet)	TOTAL LENGTH (feet)	NORMALLING F = FULL H = HALF N = NONE			TOTAL LENGTH (feet)	FAN LENGTH (feet)	CABLE TYPE	CONNECTOR	LABEL
LABEL	CONNECTOR											
RETURN 1					49	F	1	16	3	8451	TRS	SEND 1
RETURN 2					50	F	2	16	3	8451	TRS	SEND 2
RETURN 3					51	F	3	16	3	8451	TRS	SEND 3
RETURN 4					52	F	4	16	3	8451	TRS	SEND 4
RETURN 5					53	F	5	16	3	8451	TRS	SEND 5
RETURN 6					54	F	6	16	3	8451	TRS	SEND 6
RETURN 7					55	F	7	16	3	8451	TRS	SEND 7
RETURN 8					56	F	8	16	3	8451	TRS	SEND 8
RETURN 9					57	F	9	16	3	8451	TRS	SEND 9
RETURN 10					58	F	10	16	3	8451	TRS	SEND 10
RETURN 11					59	F	11	16	3	8451	TRS	SEND 11
RETURN 12					60	F	12	16	3	8451	TRS	SEND 12
RETURN 13					61	F	13	16	3	8451	TRS	SEND 13
RETURN 14					62	F	14	16	3	8451	TRS	SEND 14
RETURN 15					63	F	15	16	3	8451	TRS	SEND 15
RETURN 16					64	F	16	16	3	8451	TRS	SEND 16
RETURN 17					65	F	17	16	3	8451	TRS	SEND 17
RETURN 18					66	F	18	16	3	8451	TRS	SEND 18
RETURN 19					67	F	19	16	3	8451	TRS	SEND 19
RETURN 20					68	F	20	16	3	8451	TRS	SEND 20
RETURN 21					69	F	21	16	3	8451	TRS	SEND 21
RETURN 22					70	F	22	16	3	8451	TRS	SEND 22
RETURN 23					71	F	23	16	3	8451	TRS	SEND 23
RETURN 24					72	F	24	16	3	8451	TRS	SEND 24
GROUP RTN 1					73	F	25	16	3	8451	TRS	GROUP SEND 1
GROUP RTN 2					74	F	26	16	3	8451	TRS	GROUP SEND 2
GROUP RTN 3					75	F	27	16	3	8451	TRS	GROUP SEND 3
GROUP RTN 4					76	F	28	16	3	8451	TRS	GROUP SEND 4
GROUP RTN 5					77	F	29	16	3	8451	TRS	GROUP SEND 5
GROUP RTN 6					78	F	30	16	3	8451	TRS	GROUP SEND 6
GROUP RTN 7					79	F	31	16	3	8451	TRS	GROUP SEND 7
GROUP RTN 8					80	F	32	16	3	8451	TRS	GROUP SEND 8
MST RTN L					81	F	33	16	3	8451	TRS	MST SEND L
MST RTN R					82	F	34	16	3	8451	TRS	MST SEND R
CD-R IN L	XLR-F	8451	3	6	83	F	35	16	3	8451	TRS	MST OUT L
CR-R IN R	XLR-F	8451	3	6	84	F	36	16	3	8451	TRS	MST OUR R
2TK A RTN L	TRS	8451	3	6	85	F	37	6	3	8451	XLR-M	CD-R OUT L
2TK A RTN R	TRS	8451	3	6	86	F	38	6	3	8451	XLR-M	CD-R OUT R
CPU OUT L	TRS MINI	8451		6	87	N	39	6	3	8451	RCA	DVD OUT L
CPU OUT R					88	N	40	6	3	8451	RCA	DVD OUT R
MON RTN 1	TRS	8451	3	16	89	N	41	16	3	8451	TRS	GROUP OUT 1
MON RTN 2	TRS	8451	3	16	90	N	42	16	3	8451	TRS	GROUP OUT 2
MON RTN 3	TRS	8451	3	16	91	N	43	16	3	8451	TRS	GROUP OUT 3
MON RTN 4	TRS	8451	3	16	92	N	44	16	3	8451	TRS	GROUP OUT 4
MON RTN 5	TRS	8451	3	16	93	N	45	16	3	8451	TRS	GROUP OUT 5
MON RTN 6	TRS	8451	3	16	94	N	46	16	3	8451	TRS	GROUP OUT 6
MON RTN 7	TRS	8451	3	16	95	N	47	16	3	8451	TRS	GROUP OUT 7
MON RTN 8	TRS	8451	3	16	96	N	48	16	3	8451	TRS	GROUP OUT 8

All shields connected at jack only unless specified otherwise.



99 Ling Road - Rochester NY 14612
800 733-9473 877 275-0400 Fax
www.whirlwindusa.com sales@whirlwindusa.com

96 Point TT (Bantam) PATCH 4

The School of Communication Arts - B2R Cntrl B - TOFT ATB24

					NORMALLING F = FULL H = HALF N = NONE							
LABEL	CONNECTOR	CABLE TYPE	FAN LENGTH (feet)	TOTAL LENGTH (feet)			TOTAL LENGTH (feet)	FAN LENGTH (feet)	CABLE TYPE	CONNECTOR	LABEL	
					↓							
AUX OUT 1	TRS	8451	3	16	49	F	1	8	3	8451	TRS	HP IN L
AUX OUT 2	TRS	8451	3	16	50	F	2	8	3	8451	TRS	HP IN R
AUX OUT 3	TRS	8451	3	16	51	F	3	8	3	8451	TRS	HP IN 1
AUX OUT 4	TRS	8451	3	16	52	F	4	8	3	8451	TRS	HP IN 2
AUX OUT 5	TRS	8451	3	16	53	F	5	8	3	8451	TRS	HP IN 3
AUX OUT 6	TRS	8451	3	16	54	F	6	8	3	8451	TRS	HP IN 4
ACP-8 OUT 1	TRS	8451	3	8	55	N	7	8	3	8451	TRS	ACP-8 IN 1
ACP-8 OUT 2	TRS	8451	3	8	56	N	8	8	3	8451	TRS	ACP-8 IN 2
ACP-8 OUT 3	TRS	8451	3	8	57	N	9	8	3	8451	TRS	ACP-8 IN 3
ACP-8 OUT 4	TRS	8451	3	8	58	N	10	8	3	8451	TRS	ACP-8 IN 4
ACP-8 OUT 5	TRS	8451	3	8	59	N	11	8	3	8451	TRS	ACP-8 IN 5
ACP-8 OUT 6	TRS	8451	3	8	60	N	12	8	3	8451	TRS	ACP-8 IN 6
ACP-8 OUT 7	TRS	8451	3	8	61	N	13	8	3	8451	TRS	ACP-8 IN 7
ACP-8 OUT 8	TRS	8451	3	8	62	N	14	8	3	8451	TRS	ACP-8 IN 8
LEXICON OUT L	TRS	8451	3	8	63	N	15	8	3	8451	TRS	LEXICON IN L
LEXICON OUT R	TRS	8451	3	8	64	N	16	8	3	8451	TRS	LEXICON IN R
YAMAHA OUT L	TRS	8451	3	8	65	N	17	8	3	8451	TRS	YAMAHA IN L
YAMAHA OUT R	TRS	8451	3	8	66	N	18	8	3	8451	TRS	YAMAHA IN R
SPARE C	DB25M #3	8451		6	67	N	19	6		8451	DB25F #1	SPARE A
SPARE C		8451		6	68	N	20	6		8451		SPARE A
SPARE C		8451		6	69	N	21	6		8451		SPARE A
SPARE C		8451		6	70	N	22	6		8451		SPARE A
SPARE C		8451		6	71	N	23	6		8451		SPARE A
SPARE C		8451		6	72	N	24	6		8451		SPARE A
SPARE C		8451		6	73	N	25	6		8451		SPARE A
SPARE C		8451		6	74	N	26	6		8451		SPARE A
SPARE D	DB25M #4	8451		6	75	N	27	6		8451	DB25F #2	SPARE B
SPARE D		8451		6	76	N	28	6		8451		SPARE B
SPARE D		8451		6	77	N	29	6		8451		SPARE B
SPARE D		8451		6	78	N	30	6		8451		SPARE B
SPARE D		8451		6	79	N	31	6		8451		SPARE B
SPARE D		8451		6	80	N	32	6		8451		SPARE B
SPARE E	DB-25M #5	8451		6	81	N	33	16	3	8451	TRS Stereo	FX RTN1 L
SPARE E		8451		6	82	N	34					FX RTN 1 R
SPARE E		8451		6	83	N	35	16	3	8451		FX RTN 2 L
SPARE E		8451		6	84	N	36					FX RTN 2 R
SPARE E		8451		6	85	N	37	16	3	8451		FX RTN 3 L
SPARE E		8451		6	86	N	38					FX RTN 3 R
SPARE E		8451		6	87	N	39	16	3	8451		FX RTN 4 L
SPARE E		8451		6	88	N	40					FX RTN 4 R
SPARE F	DB-25M #6	8451		6	89	N	41	16	3	8451	TRS Stereo	FX RTN 5 L
SPARE F		8451		6	90	N	42					FX RTN 5 R
SPARE F		8451		6	91	N	43	16	3	8451		FX RTN 6 L
SPARE F		8451		6	92	N	44					FX RTN 6 R
SPARE F		8451		6	93	N	45	16	3	8451		FX RTN 7 L
SPARE F		8451		6	94	N	46					FX RTN 7 R
SPARE F		8451		6	95	N	47	16	3	8451		FX RTN 8 L
SPARE F		8451		6	96	N	48					FX RTN 8 R
							33-48 are terminated to TRS unbalanced stereo pairs					

33-48 are terminated to TRS unbalanced stereo pairs

ted at jack only unless specified otherwise.